



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Maharashtra)

To,

The Partner

KAKKAD INFRA LLP

501, Sai Capital, Senapati Bapat Road, Laxmi Society, Model Colony,
Shivajinagar, Pune. -411016

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/MIS/285218/2022 dated 25 Jul 2022. The particulars of the environmental
clearance granted to the project are as below.

1. EC Identification No.	EC23B038MH156481
2. File No.	SIA/MH/MIS/285211/2022
3. Project Type	Expansion
4. Category	B2
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	Bella Casa
7. Name of Company/Organization	KAKKAD INFRA LLP
8. Location of Project	Maharashtra
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 06/06/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (Maharashtra)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/285218/2022
Environment & Climate Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s Kakkad Infra LLP
S.no 1(P), Ambegaon (Budruk),
Tal: Haveli, Pune

Subject: Environmental Clearance for "Bella Casa" at S.no 1(P), Ambegaon (Budruk), Tal: Haveli, Pune by M/s Kakkad Infra LLP

Reference: Application no. SIA/MH/MIS/285218/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 168th meeting under screening category 8(a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 260th meeting (Day-2) of State Level Environment Impact Assessment Authority (SEIAA) held on 03.05.2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/MIS/285218/2022	
2.	Name of Project	"Bella Casa" by M/s Kakkad Infra LLP	
3.	Project category	8(a)	
4.	Type of Institution	Private	
5.	Project Proponent	Name	Mr. Anand Kakkad
		Regd. Office address	501, Sai Capital, Senapati Bapat Road, Laxmi Society, Model Colony, Shivajinagar, Pune
		Contact number	9823095445
		e-mail	anand@kakkad.co.in
6.	Consultant	Sneha Hi-Tech Products Accreditation Number: NABET/EIA/1619/IA0028	
7.	Applied for	Expansion	
8.	Details of previous EC	Vide No – SIA/MH/MIS/163098/2020 dated on 23/08/2021	
9.	Location of the project	S.no 1(P), Ambegaon (Budruk), Tal: Haveli, Pune	
10.	Latitude and Longitude	Latitude: 18°27'16.86"N Longitude: 73°50'03.54"E	
11.	Total Plot Area (m ²)	7400.00 m ²	

12.	Deductions (m ²)	1826.17 m ²				
13.	Net Plot area (m ²)	5573.83 m ²				
14.	Proposed FSI area (m ²)	25422.90 m ²				
15.	Proposed non-FSI area (m ²)	14459.41 m ²				
16.	Proposed TBUA (m ²)	39882.31 m ²				
17.	TBUA (m ²) approved by Planning Authority till date	39882.31 m ² (FSI 25422.90 m ² + Non FSI 14459.41 m ²)				
18.	Ground coverage (m ²) & %	2837.89 m ² 38.34 % of total plot area (7400.00 m ²) 50.91 % of net plot area (5573.83 m ²)				
19.	Total Project Cost (Rs.)	79.37 CR				
20	CER as per MoEF& CC circular date 01/05/2018	—				
21.	Details of Building Configuration:					Reason for Modification / Change
	Previous EC / Existing Building			Proposed Configuration		
	Buildin g Name	Configuration	Height (m)	Building Name	Configuration	Height (m)
	Wing - A (LIG & Comme rcial)	L.GR+UP.GR +M+17 Floor	53.70 m	-	-	-
	Wing- B	L.GR.+UP.GR +Stilt + Podium +21 Floor	69.80 m	Wing- B (LIG. RESI.) &	L.GR.+UP.GR +STILT + PODIUM +17 Floor	59.20
						As per new UDCP R

As per new UDCPR

	Wing- C	L.GR.+UP.GR +Stilt + Podium +21 Floor	69.80 m	Wing- (RESI.) C	L.GR.+UP.GR +STILT + PODIUM +17 Floor	59.20
22.	Proposed Tenements: 391 Nos.			Proposed Tenements: 334 Nos.		
	Showroom = 06 Nos. Office = 05 Nos.			No. of Shops = 06 Nos.		
23.	Water Budget	Dry Season (m³/day)		Wet Season (m³/day)		
		Fresh Water	152.02 m ³ /day	Fresh Water	152.02 m ³ /day	
		Recycled water for Gardening	6.0 m ³ /day	Recycled water for Gardening	NA	
		Swimming Pool	NA	Swimming Pool	NA	
		Recycled water for Flushing	76.53 m ³ /day	Recycled water for Flushing	76.53 m ³ /day	
		Total	234.55 m ³ /day (one time)	Total	228.55 m ³ /day (one time)	
		Excess treated water generation	123.15 m ³ /day	Excess treated water Generation	129.15 m ³ /day	
24.	Water Storage Capacity for Firefighting/UG T	Domestic water tank Capacity: 228.00 m ³ Flushing water tank Capacity: 76.00 m ³ Fire water tank Capacity: 300.00 m ³				
25.	Source of water	Pune Municipal Corporation (PMC)				
26.	Rainwater Harvesting (RWH)	Level of the Ground water table:		Pre monsoon – 7-8 m BGL Post monsoon – 6 -7 m BGL		
		Size and no of RWH tank(s) and Quantity:		Not Applicable		
		Quantity and size of recharge pits:		03 Nos. (2 m x 2 m x 2 m depth) with 6" Dia. 60 m deep bore well via de-silting chamber with O&G trap for surface Runoff		
		Details of UGT tanks if any:		NA		
	Sewage and	Sewage generation in CMD:		205.68 m ³ /day		

27.	Waste water	STP technology:		MBBR
		Capacity of STP (CMD):		210 m ³ /day
28.		Type	Quantity (kg/day)	Treatment / disposal
	Solid Waste Management during Construction Phase	Dry waste:	30.00 Kg/day	Send to Authorized Vendor
		Wet waste:	20.00 Kg/day	Send to Authorized Vendor
		Construction waste	50.00 Kg/day	Will be used for Levelling
29.	Solid Waste Management during Operation Phase	Type	Quantity (kg/day)	Treatment / disposal
		Dry waste:	344 Kg/day	Handed over to Authorized Vendor
		Wet waste:	508 Kg/day	Organic Waste Convertor
		Hazardous waste:	NA	NA
		Biomedical waste	NA	NA
		E-Waste	5.00 Kg/day	Handed over to Authorized Vendor
		STP Sludge (dry)	31.50Kg/day	Used as manure after treatment in OWC
30.	Green Belt Development	Total RG area (m ²):		557.38 m ²
		Existing trees on plot:		13 Nos.
		Number of trees to be planted:		103Nos.
		Number of trees to be cut:		7 Nos.
		Number of trees to be transplanted:		NA
31.	Power requirement:	Source of power supply:		MSEDCL
		During Construction Phase (Demand Load):		18 KW
		During Operation phase (Connected load):		1781.14 KW
		During Operation phase (Demand load):		823.09 KW
		Transformer:		630 KVA – 1 No & 315 KVA – 1 No
		DG set:		380 KVA - 01 No.
		Fuel used:		HSD
32.	Details of Energy saving	- As per MSEDCL requirements, we planned to use high efficiency Transformer & to reduce losses. Losses for Transformer will be as per IS standards & ECBC norms. - We are planning to keep power factor of the common load installation near unity.		

		- Following are the Energy efficient fixtures should be used in our project for energy conservation :- - Energy efficient LED fixtures are proposed for bracket lights provided of all buildings. - LED lighting fixtures are proposed for general lighting for common passages, staircase & terrace area. - The estimated saving in common area lighting consumption is up to 23.96 % due to adopting above measures. - Solar Heating System is being proposed for Hot water to be used in Toilets of each apartment. - V3F drive motors should be used for lifts, which saves 30% energy consumption.			
33.	Environmental Management plan budget during Construction Phase	Type	Details	Cost	
		Capital	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets	25 Lakh	
		O&M	Water for Dust Suppression, Air & Noise Monitoring, Tanker Water for Construction & Labour, Water Monitoring, Disinfection- Pest Control, First Aid Facilities, Health Check Up, Creches for Children, Food for children.	10 Lakh/Year	
34.	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs.)Lakh	O&M (Rs. in Lacs /Year)
		Storm Water	NA	NA	NA
		Sewage treatment	-	60.00	14.40
		Water treatment	NA	NA	NA
		RWH	-	7.1	0.21
		Swimming Pool	NA	NA	NA
		Solid Waste	Organic Waste Convertor	17.75	4.15
			Dry waste Management	-	2.00
		Hazardous waste	NA	NA	NA
		e-waste	-	-	0.50
		Green belt development	-	15.52	1.93

		Energy saving	-	22.52	1.12
		Environmental Monitoring	-	-	2.50
		Biomedical Waste Management	-	-	1.00
		Disaster Management		304.41	21.92
35.	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m ²)
		4-Wheeler	181 Nos.	181Nos.	Covered Parking- 30 m ²
		2-Wheeler	712Nos.	712Nos.	2.00 m ²
		Bicycles	--	--	--
36.	Details of Court cases / litigations w.r.t.the project and project locationif any.				NA

PP further informed that, the project comprises of Wing B and Wing C with L.GR.+UP.GR+STILT + PODIUM +17 Floors building configuration.

Details	As Per EC vide No SIA/MH/MIS/163098/2020 Dated On 23 th August 2021	Proposed Revised plan	Difference in 2021 EC and Proposed application		
Total Plot Area	7400.00 m ²	7400.00 m ²	No Change		
EC Approved Built Up Area	BUP area: 30285.27 m ² (FSI 19234.98 m ² + Non FSI 11050.29 m ²)				
Proposed Built Up Area	BUP area: 37961.96 m ² (FSI 17705.10 m ² + Non FSI 20256.86 m ²)	BUP area: 39882.31 m ² (FSI 25422.90 m ² + Non FSI 14459.41 m ²)	BUP Area: 1920.35 m ² (FSI- increased by 7717.80 m ² + Non FSI- decreased by 5797.45 m ²)		
Building configuration	No of building- 3 nos		No of buildings- 2 nos.		Difference
	Wing -A (LIG & Commercial)	L.GR+UP.GR+ M+17 Floor	-	-	Deleted
					Deleted

	Wing B	L.GR.+UP.GR+S tilt + Podium +21 Floor	Wing B (LIG & RES D)	L.GR.+UP.GR+S TILT + PODIUM +17 Floor	4 Floor decrease d	Excavation in progress
	Wing C	L.GR.+UP.GR+S tilt + Podium +21 Floor	Wing C	L.GR.+UP.GR+S TILT + PODIUM +17 Floor	4 Floor decrease d	9th Slab Work in Progress
Total Tenement s	Proposed Tenements: 391 Nos. Showroom = 06 Nos. Office = 05 Nos. Height - 69.80 m		Proposed Tenements: 334 Nos. No. of Shops = 06 Nos Height – 59.20m		57 Tenements decreased 5 offices decreased	
Occupanc y	Residential population -1955 Nos. Commercial population-104 Nos		Residential population - 1670 Nos. Commercial population- 69 Nos		Population decreased by 285 Nos.	
Services	STP : 250 m ³ /day OWC: 650 Kg/day Transformer: 630 KVA x 2No DG set: 200 KVA - 01 No UGT: Domestic: 280 m ³ Fire- 300 m ³		STP : 210 m ³ /day OWC: 650 Kg/day Transformer: 630 KVA x 1 No & 315 KVA x 1No DG set: 380 KVA - 01 No UGT: Domestic: 228.00 m ³ Fire- 300 m ³		Decreased by: STP- 40 m ³ /day Transformer: Decrease by 315KVA DG: 180 KVA increased UGT: Domestic: 52 m ³ Fire- No change	

Sr. No.	Name of the Building	As per previous EC	Construction status	Constructed Work Area (sq.m)		Proposed
				FSI Area	NON- FSI Area	
1	Wing -A (LIG & Commercial)	L.GR+UP.GR+M+17 Floor	Deleted	-	-	Deleted
2	Wing B	L.GR.+UP.GR+Stilt + Podium +21 Floor	Excavation work in progress	0.00	0.00	L.GR.+UP.GR+STILT + PODIUM +17 Floor

3	Wing C	L.GR.+UP.GR+Stilt + Podium +21 Floor	9th Slab Work in Progress	3484.37	2745.85	L.GR.+UP.GR+STILT + PODIUM +17 Floor
3	CLUB HOUSE	G+1	Not Yet Started	0.00	0.00	G+1
4	Services (UGT, STP , OWC, TRANSFORMER & DG SET ,)	-	Not Yet Started	0.00	0.00	-
Total				3484.37	2745.85	
Total Constructed Built-up Area				6230.22 sq.m		

3. Proposal is an expansion of existing construction project. PP have obtained Environment Clearance vide EC letter No. SIA/MH/MIS/163098/2020 dated on 23/08/2021 for BUA area: 30285.27 m² (FSI 19234.98 m²+ Non FSI 11050.29 m²). Proposal has been considered by SEIAA in its 260th meeting (Day-2) and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
2. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI area of 25422.90 m², Non FSI area of 14459.41 m² and total BUA of 39882.31 m². (Plan approval No. CC/0464/22 DPO/Zone No.2 dated 25.05.2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert

- solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
 - III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
 - IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
 - V. Arrangement shall be made that waste water and storm water do not get mixed.
 - VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
 - VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
 - VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
 - XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
 - XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
 - XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
 - XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
 - XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
 - XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection)

Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SELAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi

language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed

against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune
6. Commissioner, Pune Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune